XI. Letter No. 295, dated 2nd January 1910, from the Municipal Engineer, suggesting the desirability of (1) calling for site plans from the applicants applying for building licenses and (2) levying a reasonable ground rent for erecting pandals and depositing building materials on road surfaces and street drains.

This and the following propositions adjourned till next meeting for want of time.

XII. Propositions from Messrs. N. Srikantaiya and Jahgirdar Madappa on the following points :—

(1) That licenses for repairs to houses in the Trust Board area be issued, should there be delay in the acquisition of the said houses.

(2) In the case of vacant sites which are for some reason or other not allowed to be built upon, is it justifiable to levy vacant site tax?

(3) That Municipal lands and houses the possession of which has been given on certain conditions, be sold by public auction.

XIII. General and Revenue Secretary's memo No. 8032—Ml. 97-09-3, dated 15th March 1910, forwarding copy of No. 8031, dated 15th instant, to the President, Bangalore City Municipal Council, requesting to place the draft Bye-laws relating to bakeries, etc., before the Council for reconsideration and revision.

XIV. Chief Engineer's No. 2223, dated 12th March 1910, sanctioning an estimate amounting to Rs. 4,485 for renewing feed pipes and erecting cast-iron fountains along the flushing tanks in Mandi and Lashkar Mohallas of the Mysore City.

XV Letter No. 8033—Edn. 278-08-4, dated 15th March 1910, from the Secretary to the Government of Mysore in the Revenue and General Departments, requesting to intimate whether the Municipality intends to spend more on primary education than it does now if it is relieved of the grants for secondary education.

XVI. Proceedings of the Municipal Schools Committee dated 17th March 1910.

M. KANTARAJ URS,
President.

SANITARY.

CENTRAL SANITARY BOARD.

The following Resolutions of the Central Sanitary Board are published for general information :—

1. Read docket No. 7548—Ml. 459-05-10, dated the 31st January 1908, from the Secretary to Government of Mysore, General and Revenue Departments, requesting that the tracing, plans, and estimate amounting to Rs. 4,267, for constructing a slaughter-house and sheep-pen at Bowringpet may be placed before the Central Sanitary Board for opinion.

Resolution dated the 20th February 1908.—

Resolved that the plan and estimate be approved. The wire netting provided is no protection against that scourge and most insanitary pest, the common fly, and in places where meat is likely to be exposed to their noxious influence, wire gauze screens may be provided instead of wire netting. The additional cost will be only about Rs. 9.

2. Read un-official file No. 142, dated the 1st April 1908 from the Secretary to Government, General and Revenue Departments, regarding the supply of water to Robertsonpet.

Resolution dated the 14th April 1908.—

Resolved that the scheme is a very urgent one and should be sanctioned at once, as otherwise it will effect the drainage works now in progress at Robertsonpet and consequently the health of the place.

3. Read letter No. 2818, dated 24th April 1908, from the Chief Engineer in Mysore, forwarding the project amounting to Rs. 70,000 for converting the Dharmambudhi tank bed into a park and constructing two Kalyanis, etc.

Resolution dated the 15th May 1908.—

Resolved that, in view of more important Sanitary projects to be carried out in the Bangalore City, the conversion of the Dharmambudhi tank bed into a park may be postponed for the present. The project for diverting the water that now flows into the tank may, however, be taken up so that the tank bed may be as dry as possible.

4. Read letter No. 3533, dated the 23rd May 1908, from the Chief Engineer in Mysore, forwarding a report in connection with supply of water to Government quarters and cooly lines at Robertsonpet.

Resolution dated the 17th July 1908.—

Resolved that the estimate be approved. The supply to the Masikam Cooly Colony may, however, be increased to 7½ gallons per head instead of only to 5 gallons.

5. Read letter No. 239, dated the 29—30th October 1908, from the Chairman of the Board of Trustees, Mysore City Improvements Division, forwarding an estimate amounting to Rs. 17,135, for the drainage and other works in the new extension to the east of the Viceroy Road, called the "Lakshmipuram Extension."

Resolution dated the 26th December 1908.—

Resolved that the scheme is a most necessary one and should be carried out as soon as possible. The flushing tanks should be built of the revised type approved by the Sanitary Commissioner and covered in.

As most of the houses in the extension are yet to be constructed, provision should be made for carts, etc., to cross the drains, so that there may be no risk of their being damaged.

6. Read letter No. 2948—Sany. 92-08-2, dated 18th September 1908, from the Secretary to Government of Mysore, General and Revenue Departments, forwarding, for opinion of the Central Sanitary Board, papers relating to the filling up of Purnaiya's Nalla in the Mysore City.

Resolution dated the 3rd January 1909.—

Resolved that (1) the bed of the nalla may be properly countergraded, (2) the banks on either side be levelled so as to do away with all "cover," (3) latrines be provided, and (4) the water-supply of the locality be amply provided for.

7. Read letter No. 4148—Ml. 145-08-2, dated the 3rd November 1908, from the Secretary to the Government of Mysore, General and Revenue Departments, forwarding, for opinion of the Central Sanitary Board, project amounting to Rs. 6,990, for arching over Col. Purchase's drain in the Mysore City and filling in to ground level, received from the Chairman of the Board of Trustees, Mysore City Improvements Division.

Resolution dated the 4th January 1909.—

Resolved that the project be approved.

8. Read (1) Resolution dated the 15th May 1908 of the Central Sanitary Board recording that the project for the Bangalore City drainage main outfall and breaching of the Sunkal Tank is one of the more important items of work to be undertaken at once.

(2) Letter No. 4207, dated the 25th June 1908, from the Chief Engineer in Mysore, forwarding a project amounting to Rs. 77,711 for the above works.

(3) Correspondence ending with letter No. 7163, dated the 14th November 1908, from the Chief Engineer, forwarding copy of the memorandum drawn up by the Sanitary Engineer to Government embodying a general resume of work done and current proposals in connection with the disposal of storm water and the lowering of the subsoil water in the Bangalore City.

(4) Memorandum No. 6079, dated the 14th December 1908, by the Revenue Commissioner in Mysore, stating among other things that he is strongly of opinion that the Sunkal Tank is situated sufficiently low with reference to the inhabited area of the city, that the outfall storm water drain can have sufficient fall without breaching the tank and that therefore it is unnecessary to incur much of the large outlay on the subsidiary works till *the effect of* the other improvements on the level of the subsoil water and the sanitation of the city is felt.

Resolution dated 18th December 1908.—

Resolved that in view of the fact that the high water floods would swamp the filters and works generally were the bund not lowered so as to actually drain the tank, the project be passed subject to further scrutiny by the Public Works Department as regards the data furnished relating to the different levels.

9. Read letter No. 704, dated 29th January 1909, from the Chief Engineer in Mysore, forwarding a project amounting to Rs. 32,500, for opening out conservancy lanes, acquiring insanitary houses, and laying out new house sites in Chikmagalur as a preliminary to the preparation and adoption of a detailed sewage scheme for the town.

Resolution dated 6th April 1909.—

Resolved that the project be approved, the procedure recommended being sound, and as drainage is impossible till the re-alignment of houses proposed has been carried into effect, while the re-alignment alone will be of the greatest advantage to the town.

(2) *Resolved* further that the final project for the drainage and construction of sewers which is roughly estimated at Rs. 50,000 be prepared as early as possible and forwarded for sanction.

10. Read letter No. 1701—Ml. 5-08-7, dated the 18th August 1908, from the Secretary to the Government, General and Revenue Departments, forwarding plan and estimate amounting to Rs. 4,098 for constructing a bullock slaughter-house at Channapatna, received from the President of Municipalities in the Bangalore District, and requesting to be furnished with the Board's opinion together with their resolution.

(2) Letter No. 6736—Ml. 5-08-9, dated 19th January 1909, from the same officer requesting to be informed whether the cost cannot be reduced by reducing the size of the slaughter-house.

(3) Correspondence ending with letter No. 3751, dated 10th May 1909, from the Chief Engineer, forwarding two alternative estimates one for Rs. 3,600 providing a building with armoured concrete roof.

Resolution dated 23rd June 1909.—

1. *Resolved* that the estimate with brick masonry walls and armoured concrete roof at a cost of Rs. 3,828 as revised, be approved. Particular attention to be paid to details of construction such as rounded angles to door openings, cemented walls and provision of meat hooks.
2. *Resolved* also that the size of the slaughter-house cannot be reduced consistently with efficiency.

11. Read letter No. 7124, dated the 23rd September 1909, from the Chief Engineer in Mysore, forwarding a project amounting to Rs. 82,800 (with necessary accompaniments and his office notes) for improving Part II or the remaining blocks of No. III drainage area in the Mysore City.

Resolution dated the 27th November 1909.—

Resolved that the project be approved.

12. Read letter No. 7993, dated the 1st November 1909, from the Chief Engineer in Mysore, forwarding for approval of the Board a plan and estimate amounting to Rs. 8,407, received from the Chairman of the Board of Trustees Mysore City Improvements Division, for the supply of water to the Lakshmipuram extension.

Resolution dated 11th December 1909.—

Resolved that the plan and estimate for Rs. 8,407 be approved.

13. Read letter No. 7759, dated 19th October 1909, from the Chief Engineer in Mysore, forwarding a project amounting to Rs. 2,935 for constructing drains, etc., in the Jalapuri and Karnapura extensions of the Mysore City.

Resolution dated 27th December 1909.—

Resolved that the project be approved. It would perhaps be better to provide cement concrete drains in place of earthen channel, as it would prevent sullage water being absorbed and causing the surroundings insanitary.

14. Read letter No. 977, dated the 7th February 1908, from the Chief Engineer in Mysore, forwarding, for the opinion of the Board, a project amounting to Rs. 25,515, for improving the water-supply to the town of Closepet, prepared by the Executive Engineer, water-supply and Stores Division.

(2) Letter No. 2833 of the 12th May 1909, from the same officer, forwarding a comparative statement of the cost of the annual working charges of a sand-filter and a Jewell pressure filter (as at Harihar).

(3) Note dated the 16th June 1909, by the Sanitary Commissioner, stating that the point in the river selected by the Executive Engineer, at which the water is to be drawn for distribution in the town, would be suitable provided a drain is constructed somewhere along the line marked in the plan, so as to discharge the sewage from the area above the proposed site of the filter into the river below the bridge or into a well in the gardens there (below the bridge), whence the material might be baled out for irrigating the garden; and recommending as suitable for the purpose a box-drain for storm water with suitable secondary channel for sewage.

(4) Correspondence ending with letter No. 6283, dated the 24th August 1909, from the Officiating Chief Engineer in Mysore, forwarding, with reference to the question of water-supply to the town of Closepet, a project for the proposed restoration of the Bolappanahalli tank and stating that the supply from this tank would be adequate all the year round, after its improvement at an estimated cost of Rs. 28,000.

(5) Correspondence ending with D. O. dated the 10th March 1910, from the Executive Engineer, Water-supply and Stores Division, stating (1) that the question of using the

Bolappanahalli tank as the source of supply is not feasible, as there is not enough difference of level between the water level of the tank and the higher parts of the town; (2) that if this source of supply is adopted, the initial cost of the project will be increased by Rs. 17,340 as provision would have to be made for 11,560 feet of extra pumping main and (3) that in the project under consideration the engine provided for is incapable of pumping to the highest parts of the town, so that if at any time, the town should expand, the only things necessary would be to lay a branch line and build another balancing tank.

Resolution dated the 17th March 1910—

Resolved that every difficulty raised by the members of the Central Sanitary Board having been satisfactorily answered, the project for supplying water from the river Arkavati be approved and sent on to Government for sanction.

P. PALPU,
For *President, Central Sanitary Board.*

FINANCIAL DEPARTMENT.

No. 4003—*B. & R.* 815-23, *dated 9th February* 1910.

From this date until further notice, applications from the public will be received in the State Huzur Treasury for supply bills on all District Treasuries in the State.

2. Each application should contain the following particulars :—

(1) Amount for which supply bill is required;
(2) Name of Treasury at which payment is required; and
(3) Name and address of the applicant for supply bills;

and should be sent to the Officer in charge, State Huzur Treasury, together with the amount for which bills are required and the amount of the commission at 1/16 per cent.

3. No supply bill will be issued for less than Rs. 500.

4. The State Huzur Treasury will draw supply bills only on the District Treasuries. But such bills will be payable at any Taluk Treasury within the district drawn upon. For payment at a Taluk Treasury, however, the payee will have to address the Deputy Commissioner, Treasury Department, of the district, who will arrange for such payment as early as practicable.

J. S. CHAKRAVARTI,
Comptroller.

Circular No. 2125—*T A. M.* 699-708, *dated* 21*st April* 1910.

To—The Deputy Commissioners, Treasury Department, of all Districts and the Officer in charge of the State Huzur Treasury, Bangalore.

Government having in their Proceedings No. Fl. 4737-8—S. R. 54-09, *dated* 23rd March 1910, accorded sanction to the enhancement of the issue price of ganja from Re. 1 to Re. 1 and annas 4 per seer of 80 tolas with effect from 1st July 1910, has the honor to state in continuation of this office Circular No. 2096—621, dated 2nd October 1907, that the selling price of ganja will, from the 1st July 1910, be Rs. 6-4-0 per seer of 80 tolas instead of Rs. 6 as hitherto.

M. N. KRISHNA RAO,
Officiating Comptroller.

MISCELLANEOUS.

OFFICE OF THE REGISTRAR OF CO-OPERATIVE SOCIETIES IN MYSORE.

Notification No. 1121—*C. S.* 24, *dated* 27—28*th April* 1910.

The undermentioned Co-operative Societies have been registered under Section 6, clause (2), of the Mysore Co-operative Societies Regulation, III of 1905, with effect from the date mentioned against them :—

Name	Place	Registration
(1) Virasagara or Kuripalya Paraspara Sahaya Sangha, Unlimited.	Kuripalya, Tumkur Taluk.	23rd April 1910.
(2) Kodihalli Paraspara Sahayaka Sangha, Unlimited.	Kodihalli, Kunigal Taluk.	Do